


ロボット製作事例

1. Metallic Fighter

2002/11/30 Eiichiro Morinaga

Metallic Fighter

Specifications





Width	:220mm
Length	:120mm
Height	:360mm
Weight	:2200g
Actuator	:PDS-2144FET × 16
Wireless	:GWR-6N 6CH FM
Battery	:6.0V/1100mAh
CPU	:SH7046F 50MHz

2002/11/30 Eiichiro Morinaga

Metallic Fighter

Part of Joint




iXs Research
PDS-2144FET-hone
Ito Reinetsu
ServoCreation type KO

2002/11/30 Eiichiro Morinaga

Metallic Fighter

Wireless Unit




Transmitter
Sanwa RD-6000 super
Receiver
GWS GWR-6N FM 6CH

2002/11/30 Eiichiro Morinaga

Metallic Fighter

Battery Unit




Battery 6.0V 1100mAh
Operating Time 10 min



2002/11/30 Eiichiro Morinaga

Metallic Fighter

Control Unit




SH7046F,ROM256K,RAM12K
16 Servo Controller ,EEPROM

2002/11/30 Eiichiro Morinaga

Metallic Fighter

All Parts



2002/11/30 Eiichiro Morinaga

Metallic Fighter

Movie



2002/11/30 Eiichiro Morinaga

Metallic Fighter

Movie



2002/11/30 Eiichiro Morinaga

Metallic Fighter

Movie



2002/11/30 Eiichiro Morinaga

Metallic Fighter

Movie

